

SAFETY DATA SHEET (SDS)

17th December 2024 REFLECTION Page 1 of 11

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product (Material) Name : METAL POLISH

Product Code : REFL25015,20

Other Names : LIQUID REFLECTION, REFLECTION TUBE,

REFLECTION PASTE

Recommended Use : Used for polishing ,Stainless Steel, Chrome Plate

, Aluminium, Brass, Yacht Fitting, Cutlery, Bullbars, Wheels,

Kitchen Sinks and Kitchenware's.

Manufacturer : POLYSHINE PTY LTD

52 Paulson Road Campbellfield

Melbourne Victoria 3061

Australia

Phone : (+61) 3 9042 1006 (Monday to Friday, 8.00 am to 4.30 pm)

MOB : +61 412144669

Email : sales@polyshine.com.au

Created : 17th December 2024 : 17th December 2026 Revision

2. HAZARDS IDENTIFICATION

Hazard Classification

: NON-DANGEROUS GOODS according to NOHSC criteria and the by nature

ADG code.

HAZARD ratings : Body Contact- 1 (scale:0 is low & 4 is high): Reactivity-1

: Chronic-2 : Toxicity- 2



SAFETY DATA SHEET (SDS)
REFLECTION

17th December 2024 Page 2 of 11

: Flammability-1

Carcinogen Status: No significant ingredient is classified as carcinogenic by the following ASCC, NTP ,IARC.

Risk Phrases : R65. Harmful: May cause lung damage if swallowed.

: R66. Repeated exposure may cause skin dryness or cracking.

: R67. Vapours may cause drowsiness and dizziness.

Safety Phrases

: \$13. Keep way from food drink and animal feeding stuffs.

: S23. Do not breathe vapour.

: S36. Wear suitable protective clothing and eye wear.

: S35. In this material and its container must be disposed of in a

safe way.

: S38. In the case of insufficient ventilation, you must wear a

suitable respiratory equipment.

: S51. Use only in well ventilated areas.

: \$62. If swallowed, do not induce vomiting: seek medical advice

immediately and show the container or label.

: S401. Cleaning of the floor area or any objects contaminated by

this material, you can use warm soapy water.



3. COMPOSITION / MIXTURES INFORMATION ON INGREDIENTS

COMPOSITION	CAS NO	PERCENTAGE
Alumina Oxide	1344-28-1	5-8%
Hydrocarbon Solvent	64742-48-9	5-10%
Fatty Oil/Wax	61790-12-3	10-20%
Amine soap	102-71-6	5.0%
Water	7732-18-5	20-30%



SAFETY DATA SHEET (SDS)
REFLECTION

17th December 2024 Page 3 of 11

This is a commercial product in which the exact rations of the components may very slightly from the non-hazardous materials.

4. FIRST AID MEASURES

Inhalation : If any fumes or combustion products are inhaled please remove

from contaminated area. Lay patient down, keep warm and rested. : Check to see if any prostheses are present such as false teeth which may block their airway and should be removed prior to

initiating first aid procedures.

: Apply artificial respirator if not breathing and preferably with a demand valve resuscitator, bad valve mask device or the pocket

mask as trained than PERFORM CPR if necessary.

Skin contact: Flush with large amounts of water; use soap if available. Remove

grossly contaminated clothing, including shoes, and launder before

re-use.

: Seek medical attention in the event of irritation.

Eye contact : Rinse eyes immediately with plenty of fresh running water and

seek medical advice.

: Make sure a complete irrigation of the eye is done by keeping the eyelid open, apart and away from the eye moving the eyelids by

occasionally lifting the upper and lower eyelids.

: Always make sure that the removal of contact lenses after an eye

injury is only done by a skilled person.

Ingestion/Swallowed : If swallowed, DO NOT induce vomiting. Keep at rest. Get prompt

medical attention.

: If vomiting occurs you need to lean the patient forward or place onto their side, so this can maintain an open airway and prevent

aspiration and observe the patient carefully.

: You should never give any liquid to a person that is showing any signs of being sleepy or with reduced awareness' unconsciousness.

eigne en menig eisepp en minn neutrese amenenses amenenses.

Advice to Doctor : Treat according to symptoms and signs observed of distress in the

patient. Consideration should be given to the possibility that overexposure to materials other than this product may have

occurred.



SAFETY DATA SHEET (SDS)
REFLECTION

17th December 2024 Page 4 of 11

5. FIRE FIGHTING MEASURES

Suitable extinguishing media : Use foam, dry chemical or water spray or carbon

Dioxide to extinguish fire.

Unsuitable Extinguishing Media : Avoid the use of streaming water, as this could

cause the fire to spread.

Hazards from combustion products: Smoke, fumes, vapours and oxides of carbon and

various hydrocarbons.

Precautions for Fire Fighters : See also Section 4 "First Aid Measures" and Section

10 "Stability and Reactivity".

6. ACCIDENTAL RELEASE MEASURES

Emergency procedures:

Keep public away. Shut off source if possible to do so without hazard. Beware: spills are slippery. Advise authorities if substance has entered a watercourse or sewer or has contaminated soil or vegetation. Take measures to minimise the effect on groundwater. Contain spilled liquid with sand or earth.

Methods and materials for containment and clean up:

Scrape up with shovels and place in suitable containers for disposal. Consult an expert on disposal of recovered material to ensure conformity to local disposal regulations. See Section 4 "First Aid Measures" and Section 10 "Stability and Reactivity".

7. HANDLING AND STORAGE

Precautions for safe handling:

Keep container closed. Handle with care. Compatibility with plastic materials may vary; we therefore recommend that compatibility be tested prior to use.



SAFETY DATA SHEET (SDS)

17th December 2024 REFLECTION Page 5 of 11

Conditions for safe storage:

Store in a cool, well-ventilated place away from direct sunlight and other heat sources. Protect from freezing or product may separate. Container remains hazardous when empty (see also Section 13). Continue to observe all precautions.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure standards:

No information available.

Biological limit values:

No biological limit allocated.

Engineering controls:

Ventilation is required as for all polishing operations. Use only in a well-ventilated area.

Personal protective equipment:

⊆ye protectionSkin protectionWear long step : Wear long sleeves and PVC or nitrile gloves. Respiratory protection : Wear a type P1 disposable mask or higher.

9. PHYSICAL AND CHEMICAL PROPERTIES

: Viscous white liquid / Paste. **Appearance**

: Ammonia odour Odour

PH : 9.5

Vapour pressure (20 °C) : < 0.001 kPa

Vapour pressure (38 °C) : < 0.001 kPa

Vapour density : > 1.00



SAFETY DATA SHEET (SDS)

17th December 2024 REFLECTION Page 6 of 11

(101.3 kPa/air = 1)

Boiling point : 60 °C

Freezing point : 0 °C

Solubility : Exact figure not available, but product is dispersible in water.

Specific gravity : 1.15

10. STABILITY AND REACTIVITY

Chemical stability : Stable.

Conditions to avoid : Protect from freezing or product may separate.

Incompatible materials: Avoid strong oxidising products.

Hazardous decomposition

products

: None known.

Hazardous reactions : Low hazard. Material can form flammable mixtures or can burn

> only upon heating to temperatures at or above the flash point, which is > 66 °C (PMCC). Before the flash point temperature can be

reached all water in the product has to boil off.

11. TOXICOLOGICAL INFORMATION

Acute:

Inhalation : CNS depression characterized by dizziness and headache.

May cause irritation of the respiratory system. Prolonged



SAFETY DATA SHEET (SDS) REFLECTION

17th December 2024 Page 7 of 11

exposure to vapours may cause somnolence and narcosis.

Skin contact : Moderately irritating to skin. Repeated and prolonged contact

may lead to dermatitis

: May injure tissue, severely irritating. Eye contact

Ingestion : Nausea, vomiting, cough and pulmonary aspiration. If large

> quantity ingested (3g/kg) and retained, symptoms of CNS depression and irritation occur and include weakness, dizziness,

unconsciousness and convulsions.

Chronic:

No data is available for this product.

12. ECOLOGICAL INFORMATION

Ecotoxicity:

No acute toxicity to aquatic organisms is expected. Long term adverse effects to aquatic organisms are not expected.

Persistence and degradability:

The hydrocarbon solvent component in this product biodegrades rapidly and is readily biodegradable according to OECD guidelines. Other components are not hazardous according to the criteria of the NOHSC.

Mobility:

This product will not float. It will migrate into the sediment. It is expected to have low mobility.

13. DISPOSAL CONSIDERATIONS

Empty containers should be drained almost completely by inverting them. After draining, vent the empty container in a safe place to allow any remaining hydrocarbon solvent to biodegrade. The remaining material is not hazardous according to the criteria of the NOHSC.

The generator of the waste has the responsibility for proper waste classification, transportation



SAFETY DATA SHEET (SDS)
REFLECTION

17th December 2024 Page 8 of 11

and disposal. Classify waste under applicable state and local regulations.

14. TRANSPORT INFORMATION

Land : This product is not classified as dangerous according to the criteria of the

Australian Dangerous Goods Code (ADG Code).

Sea : This product is not classified as dangerous according to IMDG

regulations.

Air : This product is not classified as dangerous according to IATA

regulations.

Additional information

: Protect from freezing or product may separate.

15. REGULATORY INFORMATION

AICS : All of the materials / ingredients in this formulation comply to the

NICNAS regulations.

SUSDP Schedule: This product is not listed on any schedule of the SUSDP as the

concentration of the liquid hydrocarbon solvent is < 25%.



SAFETY DATA SHEET (SDS) REFLECTION

17th December 2024 Page 9 of 11



SAFETY DATA SHEET (SDS)

17th December 2024 REFLECTION Page 10 of 11

16. OTHER INFORMATION

The date of preparation of this MSDS was December 21, 2010.

This MSDS was prepared with reference to the MSDS for each component of this material, and with reference to the following documents:

Approved Criteria for Classifying Hazardous Substances [NOHSC: 1008 (1999)].

Australian Code for the Transport of Dangerous Goods by Road and Rail, 6th Edition, (ADG Code).

List of Designated Hazardous Substances [NOHSC: 10005 (1999)].

National Code of Practice for the Preparation of Material Safety Data Sheets, 2nd Edition [NOHSC: 2011(2003)].

Standard for the Uniform Scheduling of Drugs and Poisons, No. 18. (Effective date May 2, 2003.)

Key to abbreviations:

AICS

ACGIH	American Conference of Governmental Industrial Hygienists
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
MSDS	Material Safety Data Sheet
NOHSC	National Occupational Health and Safety Commission
OECD	Organisation for Economic Co-operation and Development
PMCC	Pensky-Martens Closed Cup
STEL	Short Term Exposure Limit
SUSDP	Standard for the Uniform Scheduling of Drugs and Poisons
TLV	Threshold Limit Value
TWA	Time Weighted Average
ADG	Australian Code for Transport of Dangerous Goods by road

Australian Inventory of Chemical Substance



SAFETY DATA SHEET (SDS)
REFLECTION

17th December 2024 Page 11 of 11

CAS No : Chemical Abstracts Service Registry Number.

GHS : Globally Harmonized System of classification and labelling of chemicals.

IARC : International Agency for Research on Cancer.

NOS : Not otherwise specified

NTP : National Toxicology Program (U.S.A)

UN No : Standard for the uniform scheduling of drug and poisons.

HAZCHEM: An emergency action code of numbers and letters which gives information to emergency services.

Disclaimer:

The information in this document relates only to the specific material designated and may not be valid for such material used in combination with other materials or in any process. This SDS summaries information is to the best knowledge of Polyshine Pty Ltd and is believed accurate and reliable as of the date indicated. However each user must review this SDS or REVIEW the MSDS in the context of how the product will be handled and used in the work place, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy him or herself as to the suitability and completeness of such information for their own particular use.

----END OF DOCUMENT